




BioMotion LLC  
support@biomotionlabs.com


SAMPLE NAME: Semax  
 SAMPLE CODE: 2UZS-FGVM  
 RECEIVED DATE: 05/04/2026  
 PUBLISHED DATE: 05/14/2026



DECLARED IDENTITY	Semax
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	Semax
SAMPLE SIZE:	10.0 mg
LOT CODE:	ARC-SE10-001




**14.33 mg**  
Total Quantity



**99.5%**  
Total Blend Purity

Sample	Test	Specification	Result	Status
Semax	IDENTITY	Semax	Semax	CONFORMS
Semax	QUANTITY	MEASURE	14.33 mg	MEASURED
Semax	PURITY	> 98.0%	99.5%	CONFORMS

### HPLC Chromatogram Report



RESULTS REVIEWED BY:

*Anthony Burke*  
 Anthony Burke PhD  
 Lab Manager  
 05/14/2026

RESULTS CERTIFIED BY:

*Levi Fried*  
 Dr. Levi Fried MD  
 Lab Director  
 05/14/2026

ACCUMARKLABS.COM  
 2UZS-FGVM  
 05/14/2026





BioMotion LLC  
support@biomotionlabs.com

SAMPLE NAME: Semax  
 SAMPLE CODE: 2UZS-FGVM  
 RECEIVED DATE: 05/04/2026  
 PUBLISHED DATE: 05/14/2026

Sample	Test	Specification	Result	Status
Semax	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Semax	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

*Anthony Burke*  
 Anthony Burke PhD  
 Lab Manager  
 05/14/2026

RESULTS CERTIFIED BY:

*Levi Fried*  
 Dr. Levi Fried MD  
 Lab Director  
 05/14/2026

ACCUMARKLABS.COM  
 2UZS-FGVM  
 05/14/2026

