



BioMotion LLC
support@biomotionlabs.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KLOW-80
4L7Y-4K8N
06/04/2026
06/09/2026



DECLARED IDENTITY KPV, GHK-Cu, BPC-157, TB500 (17-23 Fragment)
MATRIX TYPE: PEPTIDE BLEND
SAMPLE NAME: KLOW-80
SAMPLE SIZE: 80.0 mg
LOT CODE: ARC-KL80-001




79.41 mg
Total Quantity



99.76%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	KPV, GHK-Cu, BPC-157, TB500 (17-23 Fragment)	KPV, GHK-Cu, BPC-157, TB500 (17-23 Fragment)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	79.41 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.76%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
06/09/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
06/09/2026

ACCUMARKLABS.COM
4L7Y-4K8N
06/09/2026





BioMotion LLC
support@biomotionlabs.com

SAMPLE NAME: KLOW-80
SAMPLE CODE: 4L7Y-4K8N
RECEIVED DATE: 06/04/2026
PUBLISHED DATE: 06/09/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
KPV	IDENTITY	KPV	KPV	CONFORMS
KPV	QUANTITY	MEASURE	9.83 mg	MEASURED
KPV	PURITY	> 98.0%	99.01%	CONFORMS
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	50.35 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.95%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	9.29 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.43%	CONFORMS
TB500 (17-23 Fragment)	IDENTITY	TB500 (17-23 Fragment)	TB500 (17-23 Fragment)	CONFORMS
TB500 (17-23 Fragment)	QUANTITY	MEASURE	9.94 mg	MEASURED
TB500 (17-23 Fragment)	PURITY	> 98.0%	99.82%	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:

Anthony Burke
Anthony Burke PhD
Lab Manager
06/09/2026

Dr. Levi Fried
Dr. Levi Fried MD
Lab Director
06/09/2026

ACCUMARKLABS.COM
4L7Y-4K8N
06/09/2026

