

Certificate of Analysis

Sample code:
Sample name:
Sample reference

Semax
Manufacturer provided details:
Batch No.: t003496
Mfg date: 2026-08-02
Supplied By: Thaeta Scientific, LLC

Report code:
Received on:
Analysed between:
Sample packing:

0dZrbg42H0VZ
2026-08-05
2026-08-05 - 2026-08-05
Satisfactory

Sample Quantity:

ANALYTICAL

Parameter	Result	Unit	Specification
Appearance	Conforms	-	White to off white powder
Sequence		-	Met-Glu-His-Phe-Pro-Gly-Pro
MS	Conforms	g/mol	813.92
Purity(HPLC)	99.67	%	≥98.0
Water Content (Karl Fischer)	4.0	%	Reported value
Acetic Acid (By HPLC)	3.6	%	Reported value
Peptide Content (By Elemental analysis)	91.4	%	Reported value
Acetonitrile	<0.041	%	≤0.041
Dichloromethane	<0.060	%	≤0.060
N,N-Dimethylformamide	<0.088	%	≤0.088

MICROBIOLOGICAL

Parameter	Result	Unit	Specification
Endotoxin	<10EU/	EU/mg	<10.0

Sample Conclusion:
The product tested confirm with In-house standard

***** END OF REPORT *****

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed. The above test results are a direct transcription of information provided to the system from the Certificate of Analysis provided by the manufacturer / supplier or lab.

Scan to verify



{{#if qrCodeDataUrl}}

0dZrbg42H0VZ

Access code: 0dZrbg42H0VZ

CONFIDENTIAL